

Shree M. & N. Virani Science College, Rajkot
Department of Microbiology
Action Taken Report (ATR): Feedback-ODD Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM I	Average rating =3.70	Average rating =4.40	Average rating = 4.14	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good

Shree M. & N. Virani Science College, Rajkot


Department of Microbiology


Action Taken Report (ATR): Feedback- ODD Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM III	Average rating =3.49	Average rating =4.44	Average rating = 4.39	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
5 Years B.Sc. – M.Sc. Integrated Microbiology SEM-III	Average rating =3.80	Average rating =4.38	Average rating = 4.23	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Sc. Applied Microbiology SEM-III	Average rating =3.76	Average rating =4.06	Average rating = 4.09	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Voc – MLMDT SEM-III	Average rating =4.03	Average rating =4.29	Average rating = 3.96	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
M.Sc. Microbiology SEM III	Average rating =3.80	Average rating =4.25	Average rating = 4.13	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good

Shree M. & N. Virani Science College, Rajkot
Department of Microbiology
Action Taken Report (ATR): Feedback- ODD Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM V	Average rating =3.79	Average rating =4.08	Average rating = 4.41	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
5 Years B.Sc. – M.Sc. Integrated Microbiology SEM-V	Average rating =3.89	Average rating =3.90	Average rating = 4.63	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Voc – MLMDT SEM-V	Average rating =3.83	Average rating =4.05	Average rating = 4.37	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good


Co-ordinator,
Capt. Hemangi Bhatt
Feedback
Shri Manibhai Virani & Smt. Navalben
Virani Science College, Rajkot


Head,
Department of Microbiology,
Shree M. & N. Virani Science College
(Autonomous), Rajkot

Shree M. & N. Virani Science College, Rajkot

Department of Microbiology

Action Taken Report (ATR): Feedback-EVEN Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM II	Average rating =3.10	Average rating =4.25	Average rating = 4.14	●Students' feedback was satisfactory for theory and practical courses, but a bit low for the faculty.	●A staff meeting was arranged to discuss the low feedback on faculty and they were motivated to make T & L more interesting and effective

Shree M. & N. Virani Science College, Rajkot

Department of Microbiology

Action Taken Report (ATR): Feedback- EVEN Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM IV	Average rating =3.47	Average rating =4.35	Average rating = 4.15	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
5 Years B.Sc. – M.Sc. Integrated Microbiology SEM-IV	Average rating =3.52	Average rating =4.20	Average rating = 4.18	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Sc. Applied Microbiology SEM-IV	Average rating =3.86	Average rating =4.02	Average rating = 4.2	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Voc – MLMDT SEM-IV	Average rating =4.01	Average rating =4.02	Average rating = 4.18	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
M.Sc. Microbiology SEM IV	Average rating =3.34	Average rating =4.46	Average rating = 4.35	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good

Shree M. & N. Virani Science College, Rajkot

Department of Microbiology

Action Taken Report (ATR): Feedback- EVEN Semesters- 2018-19

Program	Student's Feedback			Analysis	Recommendation/ ATR
	Faculty Members	Theory Course	Practical Course		
B.Sc. Microbiology SEM VI	Average rating =3.76	Average rating =4.19	Average rating = 4.15	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
5 Years B.Sc. – M.Sc. Integrated Microbiology SEM-VI	Average rating =3.49	Average rating =4.27	Average rating = 4.17	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good
B.Voc – MLMDT SEM-VI	Average rating =3.17	Average rating =4.11	Average rating = 4.18	●Students' feedback was satisfactory for the faculty as well as the courses	●No remedial measures were taken as the feedback was very good

(Handwritten Signature)

Capt. Hemangji P Bhatt
Co-ordinator,

Name and Signature of Feedback Coordinator

Shri Manibhai Virani & Smt. Navalben
Virani Science College,
Virani Science College, Rajkot

(Handwritten Signature)

Name and Signature of HOD
Dr. Neerpa D. Pandhi
Head,
Department of Microbiology,
Shree M. & N. Virani Science College
(Autonomous), Rajkot